Table ENG-5. - Sanitary Facilities

Henrico County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.


Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AbB:					
Abell	85	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	0.99	Depth to saturated zone	0.60
		Restricted permeability	0.50	Seepage	0.50
Appling	8	Not Rated		Not Rated	
Colfax	7	Not Rated		Not Rated	
AfA:					
Altavista	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	1.00
Angie	5	Not Rated		Not Rated	
Lenoir	5	Not Rated		Not Rated	
Pamunkey	5	Not Rated		Not Rated	
AfB:					
Altavista	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage Slope	1.00 0.32
Lenoir	8	Not Rated		Not Rated	
Pamunkey	7	Not Rated		Not Rated	
AgA:					
Angie	85	Very limited		Very limited	
		Flooding Restricted permeability	1.00 1.00	Flooding Depth to saturated zone	1.00 1.00
		Depth to saturated zone	1.00		
Lenoir	8	Not Rated		Not Rated	
Pamunkey	7	Not Rated		Not Rated	



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AgB:					
Angie	85	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.32
Lenoir	8	Not Rated		Not Rated	
Pamunkey	7	Not Rated		Not Rated	
AgB2:					
Angie	95	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.32
Pamunkey	5	Not Rated		Not Rated	
AgC2:					
Angie	95	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	1.00
Pamunkey	5	Not Rated		Not Rated	
AgE2:					
Angie	95	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.92
Pamunkey	5	Not Rated		Not Rated	
Ak:					
Angie variant	90	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
Angie	5	Not Rated		Not Rated	
Pamunkey	5	Not Rated		Not Rated	
AmB:					



		Septic Tank		Sewage	
Map Symbol and Soil Name	Pct of Map	Absorption Fields		Lagoons	
	Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AmB:	85	Computat limited		Computat limited	
Appling	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Helena	8	Not Rated		Not Rated	
Bourne	7	Not Rated		Not Rated	
AmC2:					
Appling	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Ashlar	5	Not Rated		Not Rated	
Bourne	5	Not Rated		Not Rated	
Helena	5	Not Rated		Not Rated	
AmE2:					
Appling	85	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Ashlar	8	Not Rated		Not Rated	
Wedowee	7	Not Rated		Not Rated	
AoC3:					
Appling	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope Seepage	1.00 0.50
		Slope	0.04		
Ashlar	8	Not Rated		Not Rated	
Wedowee	7	Not Rated		Not Rated	
AQ:					
Aquents	85	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Not Rated	
Chewacla	8	Not Rated		Not Rated	
Chastain	7	Not Rated		Not Rated	




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and con Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AsD: Ashlar	85	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Seepage Slope Depth to hard bedrock	1.00 1.00 1.00
Appling	5	Not Rated		Not Rated	
Cecil	5	Not Rated		Not Rated	
Wedowee	5	Not Rated		Not Rated	
AsE: Ashlar	98	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Seepage Depth to hard bedrock	1.00 1.00 1.00
Rock outcrops	2	Not Rated		Not Rated	
At: Atlee	85	Very limited Depth to cemented pan Depth to saturated zone	1.00	Very limited Depth to cemented pan Depth to saturated zone Seepage	1.00 1.00 0.50
Duplin	4	Not Rated		Not Rated	
Lynchburg	4	Not Rated		Not Rated	
Tetotum	4	Not Rated		Not Rated	
Caroline	3	Not Rated		Not Rated	
Be: Bertie	85	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Buncombe	5	Not Rated		Not Rated	
Myatt	5	Not Rated		Not Rated	
Pactolus	5	Not Rated		Not Rated	
BoA:					




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BoA:					
Bourne	85	Very limited Depth to cemented pan	1.00	Very limited Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Seepage Depth to saturated zone	1.00 0.22
Appling	5	Not Rated		Not Rated	
Caroline	5	Not Rated		Not Rated	
Wedowee	5	Not Rated		Not Rated	
BoB:					
Bourne	85	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated	1.00	Seepage	1.00
		zone		Slope	0.32
Appling	3	Not Rated		Not Rated	
Caroline	3	Not Rated		Not Rated	
Kempsville	3	Not Rated		Not Rated	
Norfolk	3	Not Rated		Not Rated	
Wedowee	3	Not Rated		Not Rated	
BoC:					
Bourne	85	Very limited Depth to cemented	1.00	Very limited Depth to cemented	1.00
		pan Depth to saturated	1.00	pan Slope	1.00
		zone	1.00	Seepage	1.00
Caroline	4	Not Rated		Not Rated	
Kempsville	4	Not Rated		Not Rated	
Wedowee	4	Not Rated		Not Rated	
Appling	3	Not Rated		Not Rated	
BP:	100	Not Pated		Not Pated	
Borrow pit	100	Not Rated		Not Rated	
Bu:					




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Bu:	-				
Buncombe	85	Very limited		Very limited	
		Flooding	1.00 1.00	Flooding	1.00 1.00
		Filtering capacity	1.00	Seepage	1.00
Toccoa	8	Not Rated		Not Rated	
Pactolus	7	Not Rated		Not Rated	
CaB2:					
Caroline	85	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.78
		Restricted	0.50	Seepage	0.50
		permeability		Slope	0.32
Bourne	5	Not Rated		Not Rated	
Duplin	5	Not Rated		Not Rated	
Norfolk	5	Not Rated		Not Rated	
CaC2:					
Caroline	85	Very limited		Very limited	
		Depth to saturated	1.00	Slope	1.00
		zone	0.50	Depth to saturated	0.78
		Restricted permeability	0.50	zone	0.50
				Seepage	0.50
Norfolk	8	Not Rated		Not Rated	
Duplin	7	Not Rated		Not Rated	
CaD2:					
Caroline	85	Very limited		Very limited	
		Depth to saturated	1.00	Slope	1.00
		zone	0.04	Depth to saturated	0.78
		Slope Restricted	0.84 0.50	zone Seepage	0.50
		permeability	0.50	Seepage	0.50
Duplin	5	Not Rated		Not Rated	
Norfolk	5	Not Rated		Not Rated	
Sassafras	5	Not Rated		Not Rated	
CbC3:					



Map Symbol	Pct	Septic Tank Absorption Fields		Sewage Lagoons	
and Soil Name	of Map				
	Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CbC3:					
Caroline	95	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Slope	0.92
		Restricted	0.50	Depth to saturated zone	0.78
		permeability		Seepage	0.50
Duplin	5	Not Rated		Not Rated	
CeC2:					
Cecil	85	Somewhat limited		Somewhat limited	
		Restricted	0.50	Slope	0.92
		permeability		Seepage	0.50
Helena	4	Not Rated		Not Rated	
Turbeville	4	Not Rated		Not Rated	
Wedowee	4	Not Rated		Not Rated	
Bourne	3	Not Rated		Not Rated	
CeD2:					
Cecil	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Wedowee	8	Not Rated		Not Rated	
Turbeville	7	Not Rated		Not Rated	
CfD3:					
Cecil	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Turbeville	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
Appling	10	Not Rated		Not Rated	
Ashlar	10	Not Rated		Not Rated	
Wedowee	10	Not Rated		Not Rated	
Cg:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons		
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
Cg: Chastain	85	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	
Mantachie	8	Not Rated		Not Rated		
Chewacla	7	Not Rated		Not Rated		
Ch: Chewacla	85	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50	
Toccoa	8	Not Rated		Not Rated		
Riverview	7	Not Rated		Not Rated		
Ck: Chewacla	85	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50	
Riverview	5	Not Rated		Not Rated		
Roanoke	5	Not Rated		Not Rated		
Тоссоа	5	Not Rated		Not Rated		
Cm: Chewacla	40	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50	
Riverview	35	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 0.50 0.43	Very limited Flooding Seepage	1.00 1.00	



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and con ramo	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Cm: Altavista	5	Not Rated		Not Rated	
Chastain	5	Not Rated		Not Rated	
Colfax	5	Not Rated		Not Rated	
Pouncey	5	Not Rated		Not Rated	
Roanoke	5	Not Rated		Not Rated	
CoB: Colfax	85	Very limited Flooding Depth to cemented pan Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to cemented pan Flooding Ponding	1.00 1.00 1.00
Pouncey	8	Not Rated		Not Rated	
Orange	7	Not Rated		Not Rated	
Cp: Coxville	85	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Rains	8	Not Rated		Not Rated	
Atlee	7	Not Rated		Not Rated	
CvB: Creedmoor	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.32
Mayodan	8	Not Rated		Not Rated	
Colfax	7	Not Rated		Not Rated	
CvB2: Creedmoor	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.32



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CvB2:					
Mayodan	8	Not Rated		Not Rated	
Colfax	7	Not Rated		Not Rated	
CvC2:					
Creedmoor	90	Very limited Restricted permeability Depth to saturated	1.00	Very limited Depth to saturated zone Slope	1.00 1.00
		zone			
Colfax	5	Not Rated		Not Rated	
Mayodan	5	Not Rated		Not Rated	
DAM:					
Dam	100	Not Rated		Not Rated	
DuB2:					
Duplin	85	Very limited	4.00	Very limited	4.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.32
Atlee	4	Not Rated		Not Rated	
Norfolk	4	Not Rated		Not Rated	
Ruston	4	Not Rated		Not Rated	
Caroline	3	Not Rated		Not Rated	
DuC2:					
Duplin	95	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	1.00
Caroline	5	Not Rated		Not Rated	
DuD2:					
Duplin	85	Very limited		Very limited	
		Depth to saturated	1.00	Slope	1.00
		zone Restricted permeability	1.00	Depth to saturated zone	1.00
		Slope	0.84		
Caroline	5	Not Rated		Not Rated	




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and con warne	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
DuD2:	•				
Ochrepts	5	Not Rated		Not Rated	
Udults	5	Not Rated		Not Rated	
DvA:					
Duplin	85	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone	1.00
Norfolk	8	Not Rated		Not Rated	
Atlee	7	Not Rated		Not Rated	
DwC3:					
Duplin	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated	1.00
		Restricted permeability	1.00	zone Slope	1.00
Norfolk	8	Not Rated		Not Rated	
Caroline	7	Not Rated		Not Rated	
FaA:					
Faceville	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
Atlee	5	Not Rated		Not Rated	
Norfolk	5	Not Rated		Not Rated	
Ruston	5	Not Rated		Not Rated	
FaB2:					
Faceville	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Ruston	8	Not Rated		Not Rated	
Caroline	7	Not Rated		Not Rated	
FL:					



Map Symbol and Soil Name	Septic Tank Pct Absorption Fields of		Sewage Lagoons		
and don Nume	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
FL: Fluvaquents	100	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Fo: Forestdale	85	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Portsmouth	8	Not Rated		Not Rated	
Myatt	7	Not Rated		Not Rated	
GP: Gravel pit	100	Not Rated		Not Rated	
HeB: Helena	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.32
Bourne	8	Not Rated		Not Rated	
Appling	7	Not Rated		Not Rated	
HeB2: Helena	85	Very limited Restricted permeability Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.32
Bourne	8	Not Rated		Not Rated	
Appling	7	Not Rated		Not Rated	
HeC2: Helena	95	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.37	Very limited Depth to saturated zone Slope	1.00



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and don Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
HeC2:	1				
Appling	5	Not Rated		Not Rated	
HS:					
Hydraquents	100	Very limited		Very limited	
		Flooding	1.00	Ponding	1.00
		Restricted permeability	1.00	Flooding	1.00
		Ponding	1.00	Depth to saturated zone	1.00
KaA:					
Kalmia	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50		
Altavista	5	Not Rated		Not Rated	
KaC:					
Kalmia	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50	Slope	0.32
Altavista	5	Not Rated		Not Rated	
KeA:					
Kempsville	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
Bourne	8	Not Rated		Not Rated	
Tetotum	7	Not Rated		Not Rated	
KeB:					
Kempsville	85	Somewhat limited		Very limited	
		Restricted	0.50	Seepage	1.00
		permeability		Slope	0.32
Tetotum	8	Not Rated		Not Rated	
Bourne	7	Not Rated		Not Rated	
KeC2:					
Kempsville	85	Somewhat limited		Very limited	
		Restricted	0.50	Seepage	1.00
		permeability		Slope	0.92




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and communic	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
KeC2:	ı				
Bourne	5	Not Rated		Not Rated	
Faceville	5	Not Rated		Not Rated	
Norfolk	5	Not Rated		Not Rated	
KeD2:					
Kempsville	95	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
Caroline	5	Not Rated		Not Rated	
KfA:					
Kempsville	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	0.50	Seepage	1.00
		Depth to saturated zone	0.40		
Emporia	5	Not Rated		Not Rated	
KfB:					
Kempsville	95	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	0.50	Seepage	1.00
		Depth to saturated zone	0.40	Slope	0.32
Emporia	5	Not Rated		Not Rated	
KgA:					
Kempsville	85	Very limited		Very limited	
		Restricted permeability	1.00	Seepage	1.00
Atlee	5	Not Rated		Not Rated	
Caroline	5	Not Rated		Not Rated	
Faceville	5	Not Rated		Not Rated	
KgB:					
Kempsville	85	Very limited		Very limited	
		Restricted	1.00	Seepage	1.00
		permeability		Slope	0.32
Atlee	5	Not Rated		Not Rated	




Henrico County, Virginia

Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
KgB:					I
Caroline	5	Not Rated		Not Rated	
Faceville	5	Not Rated		Not Rated	
KgC2:					
Kempsville	85	Very limited Restricted permeability	1.00	Very limited Seepage Slope	1.00 1.00
Atlee	5	Not Rated		Not Rated	
Caroline	5	Not Rated		Not Rated	
Faceville	5	Not Rated		Not Rated	
Km:					
Kinston	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Chastain	5	Not Rated		Not Rated	
Chewacla	5	Not Rated		Not Rated	
Mantachie	5	Not Rated		Not Rated	
Kn:					
Kinston	40	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Mantachie	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Chewacla	25	Not Rated		Not Rated	
۱۵۰					

Le:




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and Son Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Le: Lenoir	85	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Altavista	3	Not Rated		Not Rated	
Atlee	3	Not Rated		Not Rated	
Coxville	3	Not Rated		Not Rated	
Lynchburg	3	Not Rated		Not Rated	
Roanoke	3	Not Rated		Not Rated	
Ly: Lynchburg	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 0.50
Atlee	8	Not Rated		Not Rated	
Rains	7	Not Rated		Not Rated	
Mc: Mantachie	40	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Chastain	35	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Chewacla	15	Not Rated		Not Rated	
Kinston	10	Not Rated		Not Rated	
MdB2: Mayodan	95	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MdB2:					
Creedmoor	5	Not Rated		Not Rated	
My:					
Myatt	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.68	Seepage	0.32
Portsmouth	8	Not Rated		Not Rated	
Roanoke	7	Not Rated		Not Rated	
NoA:					
Norfolk	85	Very limited		Somewhat limited	
		Restricted permeability	1.00	Seepage	0.50
		Depth to saturated zone	0.40		
Bourne	8	Not Rated		Not Rated	
Kempsville	7	Not Rated		Not Rated	
NoB:					
Norfolk	85	Very limited		Somewhat limited	
		Restricted	1.00	Seepage	0.50
		permeability		Slope	0.32
		Depth to saturated zone	0.40		
Bourne	8	Not Rated		Not Rated	
Caroline	7	Not Rated		Not Rated	
NoC:					
Norfolk	85	Very limited		Very limited	
		Restricted	1.00	Slope	1.00
		permeability		Seepage	0.50
		Depth to saturated zone	0.40		
Bourne	8	Not Rated		Not Rated	
Caroline	7	Not Rated		Not Rated	
OUD:					



		· · · · · · · · · · · · · · · · · · ·			
	Pct	Septic Tank Absorption Fields		Sewage Lagoons	
Map Symbol	of	Absorption riela	3	Lagoons	
and Soil Name	Мар	Rating Class and		Rating Class and	1
	Unit	Limiting Features	Value	Limiting Features	Value
OUD:					
Ochrepts	45	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted	0.50	Seepage	1.00
		permeability Slope	0.37	Slope	1.00
		Slope	0.57		
Udults	30	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted	1.00	Slope	1.00
		permeability Slope	0.37	Seepage	0.32
		Slope	0.37		
Altavista	4	Not Rated		Not Rated	
Bourne	4	Not Rated		Not Rated	
Norfolk	4	Not Rated		Not Rated	
Ruston	4	Not Rated		Not Rated	
Caroline	3	Not Rated		Not Rated	
Kempsville	3	Not Rated		Not Rated	
Sassafras	3	Not Rated		Not Rated	
OUF:					
Ochrepts	50	Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
		Slope	1.00	Depth to saturated zone	1.00
		Restricted	0.50	Seepage	1.00
		permeability		3 3 4 7 3	
Udults	35	Very limited		Very limited	
		Depth to saturated	1.00	Slope	1.00
		zone		Depth to saturated	1.00
		Slope	1.00	zone	
		Restricted permeability	1.00	Seepage	0.32
Caroline	5	Not Rated		Not Rated	
Kempsville	5	Not Rated		Not Rated	
Pamunkey	5	Not Rated		Not Rated	
Ov:					




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and don Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ov: Orange	95	Very limited Flooding Restricted permeability Depth to bedrock	1.00 1.00 1.00	Very limited Depth to soft bedrock Flooding Depth to saturated zone	1.00 1.00 1.00
Colfax	5	Not Rated		Not Rated	
OW: Orthents	38	Not Rated		Not Rated	
Udults	32	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.96	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.32
Mine pits	30	Not Rated		Not Rated	
Pa: Pactolus	85	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Buncombe	8	Not Rated		Not Rated	
Lenoir	7	Not Rated		Not Rated	
PmA: Pamunkey	95	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage	1.00
Altavista	5	Not Rated		Not Rated	
PmB: Pamunkey	95	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.32
Altavista	5	Not Rated		Not Rated	
PmD:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons		
and con Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	
PmD: Pamunkey	95	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.37	Very limited Seepage Slope	1.00 1.00	
Altavista	5	Not Rated		Not Rated		
PnC3: Pamunkey	95	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.37	Very limited Seepage Slope	1.00 1.00	
Altavista	5	Not Rated		Not Rated		
PoE: Pinkston	95	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 <0.01	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00	
Rock Outcrop	5	Not Rated		Not Rated		
Pr: Portsmouth	95 5	Very limited Flooding Depth to saturated zone Ponding Not Rated	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	
Myatt	5	Not Rated		Not Rated		
Ps: Pouncey	95	Very limited Flooding Restricted permeability Depth to bedrock	1.00 1.00 1.00	Very limited Depth to hard bedrock Flooding Depth to saturated zone	1.00 1.00 1.00	
Colfax	5	Not Rated		Not Rated		
PTB: Psamments	85	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone Slope	1.00 0.92 0.32	



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
PTB:					
Altavista	3	Not Rated		Not Rated	
Chastain	3	Not Rated		Not Rated	
Chewacla	3	Not Rated		Not Rated	
Lenoir	2	Not Rated		Not Rated	
Pamunkey	2	Not Rated		Not Rated	
Roanoke	2	Not Rated		Not Rated	
Ra:					
Rains	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated	1.00	Depth to saturated	1.00
		zone Restricted	0.50	zone Seepage	0.50
		permeability	0.50	Seepage	0.50
Atlee	8	Not Rated		Not Rated	
Coxville	7	Not Rated		Not Rated	
Re:					
Riverview	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted	0.50	Seepage	1.00
		permeability Depth to saturated	0.42		
		zone	0.43		
Chewacla	8	Not Rated		Not Rated	
Toccoa	7	Not Rated		Not Rated	
Ro:					
Roanoke	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated	1.00	Depth to saturated	1.00
		zone		zone	
		Restricted permeability	1.00		
Altavista	8	Not Rated		Not Rated	
Lenoir	7	Not Rated		Not Rated	
RrC:					



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and Son Name	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
RrC: Rumford	85	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.68
Kempsville	8	Not Rated		Not Rated	
Norfolk	7	Not Rated		Not Rated	
RuA: Ruston	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
Faceville	8	Not Rated		Not Rated	
Norfolk	7	Not Rated		Not Rated	
RuB: Ruston	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Faceville	8	Not Rated		Not Rated	
Norfolk	7	Not Rated		Not Rated	
RuC2: Ruston	85	Somewhat limited Restricted permeability	0.50	Very limited Slope Seepage	1.00 0.50
Faceville	8	Not Rated		Not Rated	
Norfolk	7	Not Rated		Not Rated	
SsA: Sassafras	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
Kempsville	8	Not Rated		Not Rated	
Ruston	7	Not Rated		Not Rated	
SsB: Sassafras	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Kempsville	8	Not Rated		Not Rated	




Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
SsB: Ruston	7	Not Rated		Not Rated	•
StA: State	85	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Somewhat limited Seepage	0.50
Bourne	8	Not Rated		Not Rated	
Turbeville	7	Not Rated		Not Rated	
StB: State	85	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Somewhat limited Seepage Slope	0.50 0.32
Bourne	8	Not Rated		Not Rated	
Turbeville	7	Not Rated		Not Rated	
StC2: State	95	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Very limited Slope Seepage	1.00 0.50
Bourne	5	Not Rated		Not Rated	
SvB: State	85	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Somewhat limited Seepage Slope	0.50 0.32
Bourne	8	Not Rated		Not Rated	
Turbeville	7	Not Rated		Not Rated	
Td: Tetotum	85	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
and contraine	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Td:		•			
Lynchburg	8	Not Rated		Not Rated	
Norfolk	7	Not Rated		Not Rated	
Te:					
Tetotum	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Lynchburg	8	Not Rated		Not Rated	
Norfolk	7	Not Rated		Not Rated	
To:					
Toccoa	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	0.40	Seepage	1.00
Buncombe	5	Not Rated		Not Rated	
Chewacla	5	Not Rated		Not Rated	
Riverview	5	Not Rated		Not Rated	
TuA:					
Turbeville	95	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Seepage	0.50
Kempsville	5	Not Rated		Not Rated	
TuB:					
Turbeville	95	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Seepage	0.50 0.32
Kempsville	5	Not Rated		Slope Not Rated	0.32
Rempsville	ວ	Not Rated		Not Rateu	
TuC2:	0.5	O a managed and thought and		Many Historia	
Turbeville	85	Somewhat limited Restricted	0.50	Very limited Slope	1.00
		permeability	0.00	Seepage	0.50
Appling	5	Not Rated		Not Rated	
Cecil	5	Not Rated		Not Rated	
Kempsville	5	Not Rated		Not Rated	



Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
TvB: Turbeville	95	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Kempsville	5	Not Rated		Not Rated	
TvC: Turbeville	95	Somewhat limited Restricted permeability	0.50	Very limited Slope Seepage	1.00 0.50
Kempsville	5	Not Rated		Not Rated	
UD: Udorthents	85	Not Rated		Not Rated	
Appling	3	Not Rated		Not Rated	
Caroline	2	Not Rated		Not Rated	
Cecil	2	Not Rated		Not Rated	
Creedmoor	2	Not Rated		Not Rated	
Duplin	2	Not Rated		Not Rated	
Mayodan	2	Not Rated		Not Rated	
Turbeville	2	Not Rated		Not Rated	
UE: Udorthents	85	Not Rated		Not Rated	
Duplin	2	Not Rated		Not Rated	
Kempsville	2	Not Rated		Not Rated	
Pamunkey	2	Not Rated		Not Rated	
Altavista	1	Not Rated		Not Rated	
Angie	1	Not Rated		Not Rated	
Atlee	1	Not Rated		Not Rated	
Bourne	1	Not Rated		Not Rated	
Chewacla	1	Not Rated		Not Rated	
Kinston	1	Not Rated		Not Rated	



Map Symbol and Soil Name	Pct of	Septic Tank Absorption Fields		Sewage Lagoons	
	Map Unit	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
UE:	•		•		•
Norfolk	1	Not Rated		Not Rated	
State	1	Not Rated		Not Rated	
Turbeville	1	Not Rated		Not Rated	
UR:					
Urban land	100	Not Rated		Not Rated	
W:					
Water	100	Not Rated		Not Rated	
WeB:					
Wedowee	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
Bourne	8	Not Rated		Not Rated	
Helena	7	Not Rated		Not Rated	
WeD:					
Wedowee	85	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Bourne	8	Not Rated		Not Rated	
Helena	7	Not Rated		Not Rated	